

EAST BRS
9/29/03

L Number	Hits	Search Text	DB	Time stamp
1	289	XML adj code	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 12:22
2	0	XML near3 example	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 12:22
3	2	(XML adj code) near3 figure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 12:23
4	31	(XML adj code) same database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 12:24
5	203	(XML adj code) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 12:24
-	2	("6209124").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 12:21
-	98	((("5878411") or ("5956730") or ("5956725") or ("6076090") or ("6519605") or ("5857194") or ("6032153") or ("6006224") or ("5987247") or ("6002874") or ("6341289") or ("5430836") or ("5819090") or ("5826076") or ("5901313") or ("5794248") or ("5809508") or ("6141660") or ("4930071") or ("5546301") or ("6243615") or ("6049673") or ("6324682") or ("6606742") or ("6047324") or ("5786825") or ("5815195") or ("5870605") or ("5873084") or ("5912669") or ("5926775") or ("5946694") or ("5956680") or ("5974417") or ("6021443") or ("6151702") or ("6243825") or ("6374299") or ("6473748") or ("5892949") or ("6253194") or ("5960200") or ("5878422") or ("5815731") or ("6467079") or ("6018743") or ("5450545") or ("5577246") or ("5943676") or ("5956728")).PN. ("5878419" "5905248" "5940075" "5943424" "6023684" "6026409" "6094684").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 09:26
-	7	6209124.URPN.	USPAT	2003/09/11 12:12
-	4	((("6081808") or ("5794247") or ("5799313") or ("5835910") or ("5956725") or ("5956730") or ("5974256") or ("6016495") or ("6122638")).PN.	USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 12:25 2003/09/11 13:04
-	14	("5161225" "5212787" "5291583" "5295256" "5297279" "5303379" "5414812" "5421015" "5426747" "5437027" "5459860" "5499371" "5542078" "5799313").PN.	USPAT	2003/09/11 12:54
-	935	legacy adj (application or code or program)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 13:05

-	0	(legacy adj (application or code or program)) same database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 13:05
-	597	(legacy adj (application or code or program)) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 13:05
-	91	(legacy adj (application or code or program)) and (database near3 (rational or (object adj oriented)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 13:06
-	0	((legacy adj (application or code or program)) near3 (access\$4 near3 data)) and (database near3 (rational or (object adj oriented)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 13:07
-	1	((legacy adj (application or code or program)) near3 (access\$4 near3 data\$4)) and (database near3 (rational or (object adj oriented)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 13:13
-	24	(legacy adj (application or code or program) near3 wrap\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 14:29
-	18	("5430836" "5457798" "5473777" "5475845" "5680551" "5761656" "5806079" "5809318" "5953534" "5960202" "5966707" "5974258" "5978579" "6009525" "6044469" "6163794" "6179489" "6237044").PN.	USPAT	2003/09/11 13:40
-	33	("4722048" "4821220" "4885717" "4891630" "4953080" "5041992" "5050090" "5060276" "5075848" "5093914" "5119475" "5125091" "5133075" "5136705" "5136711" "5151987" "5179703" "5181162" "5313636" "5315703" "5315709" "5317741" "5321841" "5325481" "5325522" "5325524" "5325533" "5339430" "5339438" "5361350" "5361358" "5379432" "5404529").PN.	USPAT	2003/09/11 14:23
-	51	5475845.URPN.	USPAT	2003/09/11 14:26
-	2	("5499371").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 14:46
-	0	6442749.URPN.	USPAT	2003/09/11 14:32
-	6	("4930071" "5235701" "5291583" "5295256" "5297279" "5426780").PN.	USPAT	2003/09/11 14:34
-	130	5499371.URPN.	USPAT	2003/09/11 14:37
-	1052	relational near3 ((object adj oriented) or OO)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 14:47
-	1009	(relational near3 ((object adj oriented) or OO)) same data\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 14:48

-	871	((relational near3 ((object adj oriented) or 00)) near3 data\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 14:48
-	9361	((legacy or existing) adj (software or program or application or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 14:50
-	0	((legacy or existing) adj (software or program or application or code)) same (procedural near3 layout)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 14:52
-	16	((legacy or existing) adj (software or program or application or code)) same (data near3 layout)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 15:01
-	543	((legacy or existing) adj (software or program or application or code)) near3 (modif\$4 or alter\$4 or instrument\$4 or hook\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 13:27
-	1	((((legacy or existing) adj (software or program or application or code)) near3 (modif\$4 or alter\$4 or instrument\$4 or hook\$4)) and ((convert\$4 or translat\$4) near3 (data adj record))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 15:04
-	0	((((legacy or existing) adj (software or program or application or code)) near3 (modif\$4 or alter\$4 or instrument\$4 or hook\$4)) and ((convert\$4 or translat\$4) near3 (record adj layout))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 15:04
-	19	((((legacy or existing) adj (software or program or application or code)) near3 (modif\$4 or alter\$4 or instrument\$4 or hook\$4)) and ((convert\$4 or translat\$4) near3 ((data or record) adj format))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 15:06
-	31	((determin\$4 or comput\$4 or calculat\$4) near3 (record near3 layout)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/12 08:23
-	13	("5161225" "5212787" "5291583" "5295256" "5297279" "5303379" "5414812" "5421015" "5426747" "5437027" "5459860" "5499371" "5542078").PN.	USPAT	2003/09/12 08:48
-	7	5809509.URPN.	USPAT	2003/09/26 10:34
-	348	((instrument\$4 or modif\$4) near3 API	USPAT	2003/09/26 12:37
-	23	((instrument\$4 or modif\$4) same (API near3 (access or hook))	USPAT	2003/09/26 12:59
-	5492	adapt\$4 near3 code	USPAT	2003/09/26 13:00
-	461	adapt\$4 adj code	USPAT	2003/09/26 13:00
-	720	((legacy or existing) adj (software or program or application or code)) near3 (modif\$4 or alter\$4 or instrument\$4 or hook\$4 or adapt\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 13:28
-	62	((((legacy or existing) adj (software or program or application or code)) near3 (modif\$4 or alter\$4 or instrument\$4 or hook\$4 or adapt\$4)) same (wrap\$4 or conver\$5 or (object adj oriented))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 16:47
-	4	((("6252587") or ("6094684"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 17:41

-	568	wrap\$4 near3 code	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/26 16:47
-	3782	wrap\$4 near3 (code or component or module)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/26 16:48
-	717	(wrap\$4 near3 (code or component or module)) and ((chang\$3 or modif\$4 or alter\$4 or rewrit\$4 or convert\$4) near3 (code or component or module))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/26 16:50
-	148	(wrap\$4 adj (code or component or module)) and ((chang\$3 or modif\$4 or alter\$4 or rewrit\$4 or convert\$4) near3 (code or component or module))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/26 16:50
-	67	(wrap\$4 adj (code or component or module)) and ((chang\$3 or modif\$4 or alter\$4 or rewrit\$4 or convert\$4) adj (code or component or module))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/26 16:50
-	0	benifit\$4 near3 (instrument\$4 or wrap\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/26 17:44
-	13196	advantag\$5 near3 (instrument\$4 or wrap\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/26 17:45
-	6008	advantag\$5 near3 (instrumentation or instrumenting or wrap\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/26 17:45
-	2323	advantag\$5 near3 (instrumentation or instrumenting or wrapper)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/26 17:46
-	438	advantag\$5 adj (instrumentation or instrumenting or wrapper)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/26 17:46
-	144	(advantag\$5 adj (instrumentation or instrumenting or wrapper)) and (code or application or software or program)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/26 17:49
-	54359	((code or application or program or software) near3 (instrument\$4 or modif\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/26 17:53
-	10948	((code or application or program or software) adj (instrument\$4 or modif\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/26 17:53
-	2065	((code or application or program or software) adj (instrument\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/26 17:53

-	911	((code or application or program or software) adj (instrument\$4)) and (debug\$5 or analy\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 17:54
-	33	((code or application or program or software) adj (instrument\$4)) and (debug\$5 or analy\$5) and ((reason\$4 or motiva\$5) near3 instrument\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 17:57
-	23	compil\$5 adj (additions)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 17:58
-	11	("4695977" "5237684" "5295222" "5379432" "5386559" "5430875" "5519867" "5546301" "5677997" "5680619" "5854929").PN.	USPAT	2003/09/29 08:09
-	130	modif\$4 near3 legacy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 08:38
-	10	(modif\$4 near3 legacy) and wrapper	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 08:47
-	0	200167290.URPN.	USPAT	2003/09/29 08:41
-	3	522319.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 08:42
-	14	(modif\$4 near3 legacy) and (convert\$4 near3 (code or program or application))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 08:50
-	37719	(modif\$4 near3 (code or program or application))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 08:50
-	4	(modif\$4 near3 (code or program or application)) same (database adj reference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 10:10
-	657	(generat\$4 near3 (code or application or program or component)) same XML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 10:10
-	24	(generat\$4 near3 (code or application or program or component)) same ((read or write or access or manipul\$3) near3 XML)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 10:16
-	134	(generat\$4 near3 ((source adj code) or component)) same (XML)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 10:17
-	1111	(generat\$4 near3 ((source adj code) or component)) same (database or (data adj request) or (binary adj data adj record))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 10:18

-	24	(generat\$4 near3 ((source adj code) or component)) same (database or (data adj request) or (binary adj data adj record)) same XML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 10:19
-	18	(generat\$4 near3 ((source adj code) or component)) same (XML adj schema)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 10:23
-	4	((("5269014") or ("4949253"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 11:00
-	0	XML adj example	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 11:00
-	0	XML near3 example	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 11:01
-	0	HTML near3 example	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 11:00
-	7	code near3 example	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 11:00
-	0	XML near5 example	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 11:01
-	0	XML same example	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 11:02
-	1	XML and example	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 11:02

YAHOO!search[Search Home](#) - [Yahoo!](#) - [Help](#)Your Search: [Advanced Web Search](#)
[Preferences](#)[Web](#) [Directory](#) [News](#) [Maps](#) [Yellow Pages](#) [Images](#)

① We didn't find any Web pages containing "Common Object Datastore Adapter".

Tip:

Check your spelling.

Try different words that mean the same thing.

Broaden your search by using fewer words.

NPL
9/29/03

Copyright © 2003 Yahoo! Inc. All rights reserved. [Privacy Policy](#) - [Terms of Service](#) - [Ad Feedback](#) - [Search Feedback](#)

Search Technology provided by Google

<http://search.yahoo.com/search?p=%22Common+Object+Datastore+Adapter%22&ei=UTF-8...> 9/11/03**Best Available Copy**

YAHOO!search

[Search Home](#) - [Yahoo!](#) - [Help](#)

Your Search:

[Advanced Web Search](#)
[Preferences](#)

[Web](#) [Directory](#) [News](#) [NEW!](#) [Yellow Pages](#) [Images](#)



TOP 1 WEB RESULTS out of about 1

1. [kbnMW history of changes: ===== 1.06b 1.](#)


... The purpose of all the datastore adapter changes is to allow for complex transaction handling and automated multitable resolving in for example join situations ...
[www.components4programmers.com/products/kbnmw/download/history.txt](#) [cached](#)

[Web](#) [Directory](#) [News](#) [NEW!](#) [Yellow Pages](#) [Images](#)

Your Search:

[Advanced Web Search](#)
[Preferences](#)

Search from anywhere online with the Yahoo! Companion Toolbar



Copyright © 2003 Yahoo! Inc. All rights reserved. [Privacy Policy](#) - [Terms of Service](#) - [Ad Feedback](#) - [Search Feedback](#)
Search Technology provided by Google







<http://search.yahoo.com/search?p=%22Datastore+Adapter%22&sub=Search&ei=UTF-8&fr=...> 9/11/03

Best Available Copy


[Search Home](#) - [Yahoo!](#) - [Help](#)
Your Search:
[Advanced Web Search](#)
[Preferences](#)
[Web](#) | [Directory](#) | [News](#) NEW! | [Yellow Pages](#) | [Images](#)
SPONSOR RESULTS (What's this?) (Become a Sponsor)

- **IBM Code - Compare Prices at Nextag.com** - At Nextag.com, the search engine for shoppers, compare prices, tax, shipping, ratings and reviews from name brand stores all over the Web. Sellers, list your own store at Nextag today.
[www.nextag.com](#)
- **IBM - Shop Online** - Save when you shop at IBM with online coupons from CouponMountain.com. Be sure to always check our site for coupons before you shop online.
[www.CouponMountain.com](#)





TOP 20 WEB RESULTS out of about 31,200

1. **Information about Burns, Casio, Coda and IBM keyboard!** 
... IBM keyboard Bach, Burns, Casio, Coda, Codera, Dawn and Deering. Find all of the musical instruments and sheet music you need from major brands. ...
[www.musical-instruments-shop.com/ibm_keyboard.asp](#)
2. **CODA - Financial Intelligence - News Article** 
News Article. CODA accredited to IBM's Galaxy Solution Programme management solutions; Extends CODA's established availability on IBM iSeries Server. ...
[www.coda.com/system/Article.asp?MNO=5&ID=198](#) [cached](#) | [more results from this site](#)
3. **Coda mailing list - Re: Venus dying on file create by xemac or ...** 
... Next message: Jan Harkes: "Re: Patch against SEGV (Was: Announcing coda release 5.2.4)"; Previous message: matwell_at_us.ibm.com: "Venus dying on file create ..."
[www.coda.cs.cmu.edu/maillists/codalist/codalist-1999/1469.html](#) [cached](#) | [more results from this site](#)
4. **CODA Support - Legal Notices** 
... e-Billing; CODA e-Customiser; CODA e-Finance; CODA e-Procurement; CODA-Explorer; CODA-Financials; CODA-Financials for HP3000; CODA-Financials for IBM AS/400 ...
[support.coda.com/legal.asp](#) [cached](#)
5. **JARING Internet magazine** 
... The integrated Corner and IBM offerings also will help the healthcare industry ... ProCare healthcare solution from Greatcare Systems Sdn Bhd and CODA Group (www ...)
[www.magazine.jaring.my/2001/october/index2.html?content=stay2.html](#) [cached](#)
6. **intent to package: coda (+ copyright question)** 
... Header: /afs/cs/project/coda-src/cvs/coda/coda-src/vice/s rvproc.cc,y 4,10 1998/01/12 23:35:42 braam Exp \$"; #endif /* _BLURB_ */ IBM COPYRIGHT NOTICE ...
[lists.debian.org/debian-devel/1998/debian-devel-199804/msg00775.html](#) [cached](#) | [more results from this site](#)

<http://search.yahoo.com/search?p=IBM+CODA&ei=UTF-8&fr=fp-top>
 Yahoo! Search Results for IBM CODA

 9/11/03
 Page 3 of 3











Marcam Solutions, NEC C&C Systems Group, Oracle, PeopleSoft, QAD, SAP, and TSW have ...
[www.openapplications.org/news/pr-info/970224.htm](#) [cached](#) | [more results from this site](#)

17. **<html> <head> </head><body><pre> CODA CREDITS The Linux port of ...** 
... Carnegie Mellon has obtained permission from IBM to freely distribute Coda source code under the terms mentioned in the Coda redistribution notice. ...
[www.mit.edu/afs/sipb/project/coda/src/cvs/coda/CREDITS](#) [cached](#) | [more results from this site](#)
18. **IBM Passport** 
[www.usc-b2b.com/Products/Licenses/Filemaker/Core/IBM_Passport/ibm_passport.cfm](#) [cached](#) | [more results from this site](#)
19. **CODA - Financial Intelligence - Home** 
... CODA wins major order with UK's largest metal recycling company. CODA accredited to IBM's Galaxy Solution Programme management solutions. CODA Comments. ...
[www.coda-financials.com/](#) [cached](#)
20. **CODA CREDITS The Linux port of Coda was initiated and led by ...** 
... Carnegie Mellon has obtained permission from IBM to freely distribute Coda source code under the terms mentioned in the Coda redistribution notice.
[www.cs.cmu.edu/afs/cs.cmu.edu/project/coda-braam/coda-4.6/CREDITS](#) [cached](#) | [more results from this site](#)

Results Page:

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)
[Web](#) | [Directory](#) | [News](#) NEW! | [Yellow Pages](#) | [Images](#)
Your Search:
[Advanced Web Search](#)
[Preferences](#)
Copyright © 2003 Yahoo! Inc. All rights reserved. [Privacy Policy](#) - [Terms of Service](#) - [Ad Feedback](#) - [Search Feedback](#)

Search Technology provided by Google

7. **CODA - Autorisierungen** 
fon: 0361 739490 fax: 0361 7394920. email: info@coda-erfurt.de. HRB 56.
Autorisierungen und Qualifizierungen. ... 1 AAR. IBM Business Partner. IBM Service Partner. ...
[www.coda-erfurt.de/referenz/](#) [cached](#) | [more results from this site](#)
8. **Linux-Community: AFS-Filesystem von IBM als Open Source** 
... Bewertungen (0 % = sehr schlecht, 100% = sehr gut) Business, Cluster, Datensystem, IBM: nahe verwandt ... Und was ist mit CODA, Anonymous 52% [14] 2000-09-05 22:01. ...
[www.linux-community.de/Neues/story?storyid=330](#) [cached](#)
9. **Japan.internet.com LinuxTutorial - Linux 用 Coda ...** 
... Linux 用 Coda 分散ファイルシステム—4; Linux 用 Coda 分散 ファイルシステム —5. ★最新トップニュース. ■ 日本 IBM ...
[Japan.Internet.com/linuxtutorial/20030630/2.html](#) [cached](#) | [more results from this site](#)
10. **Disconnected Operation in the Coda File System (MICROSOFT POWERPOINT)** 
... File: Halt entire reintegration process. Dir: investigate more. Manual repair. Coda Evaluation. Hardware. 386 laptop, IBM Decstation 3100s. 350MB disk. How ... ? ...
[www.cis.upenn.edu/~maoy/courses/coda.ppt](#) [view as html](#)
11. **HPC-NEWS archives -- 2000** 
... coda da 72 ore su IBM SP3 - 72 hours queue on IBM SP3: coda da 72 ore su IBM SP3 - 72 hours queue on IBM SP3 (54 lines) From: Sigismondo Boschi <s.boschi@cineca ...
[lists.cineca.it/cgi-bin/wa?A1=ind00&L=hpc-news](#) [cached](#)
12. **Ocarina Systems** 
... Ocarina provide a growing number of CODA® users on the OpenVMS, IBM AS/400 and Open Client/Server platforms with a first class, responsive and bespoke support ...
[www.ocarinasystems.com/coda/](#) [cached](#) | [more results from this site](#)
13. **Slashdot | IBM Linux Boxes** 
... That makes me wonder -- how is IBM going to respond to Coda, seeing as to how when Coda matures it will be a Better DFS? That ...
[slashdot.org/articles/99/02/15/1638236.shtml](#) [cached](#) | [more results from this site](#)
14. **Celdas - instalacion masiva -- Almacenamiento distribuido de ...** 
... AFS Andrew Filesystem [http://www.openafs.org/](http://www.openafs.org/http://www.openafs.org/), que es más maduro y cuenta con soporte comercial, inclusive de IBM. Coda Filesystem [http ...](#)
[www.magma.com.ni/~jorge/cells_7.html](#) [cached](#)
15. **Centro Elaborazione Dati - ENEA Frascati- Sistema IBM SP POWER3** 
... presso il Centro di Calcolo di Frascati un nuovo server di calcolo IBM-SP POWER3 ... it dare il comando: tsuib my_programm -R sp3 -queue nome della coda * (per run ...
[www.frascati.enea.it/info/supercalcolo/ibmspp3.htm](#) [cached](#)
16. **Open Applications Group - News** 
... American Software, CODA, JD Edwards, IBM Manufacturing Solutions Unit.

<http://search.yahoo.com/search?p=IBM+CODA&ei=UTF-8&fr=fp-top>

9/11/03

Best Available Copy

YAHOO!search

Search Home - Yahoo! - Help

Your Search:

Advanced Web Search
Preferences



TOP 20 WEB RESULTS out of about 9,430

1. **ARSPerl Manual - OO Layer Overview**
ARSPerl Programmer's Manual - OO Layer Form Object. ... This method returns a list of matching Record IDs. ... an "internal" function that is used to translate a field ...
arsinfo.cit.buffalo.edu/perl/manual/OO/form.html [cached](#)
2. **RootsWeb: WMILWAU-L Archive (December 2002)**
... Fw: [WMilwau] Fw: thre Anfrage MICHELS oo THIELEN-can some kind soul translate this ... Ellen (Waukesha County); [WMilwau] Directories/Vital Record Lookups in ...
archiver.rootsweb.com/vh/index/WMILWAU/2002-12 [cached](#) | [more results from this site](#)
3. **OpenOffice.org**
... This tool was able to record actions of the user and translate them into StarBasic code. It was removed before the OO.o source code was released. ...
framework.openoffice.org/proposals/macro/macrorerecording.html [cached](#)
4. **CS558 F01 Lecture NotesLecture 8 PSU CS558 F01 Lecture 8 cfl...**
... (Some OO languages, eg ... 10); d.addElement(new Line(20,20,40,40); d.translate(3,4 ... implementation, each object is represented by a heap-allocated record, containing. ...
www.cs.pdx.edu/~apt/cs558_2001/lecture8_4up.ps [view as html](#) | [more results from this site](#)
5. **Inside translate silence it will split and the song which it ...**
... Perdono Qualcosa Nella Traduzione or Inside translate silence it ... baby's correct round circle, baby's correct record, baby's correct ... of the boy of the oo (the oo ...
www.bedfordvan.themoon.co.uk/midi/translation_songs.htm [cached](#)
6. **Re: Structs (was RE: Record selectors)**
... ericson.se>; Subject: Re: Structs (was RE: Record selectors ... has been around a lot longer than OO of course ... one of which is only there to translate messages from ...
www.erlang.org/ml-archives/erlang-questions/200301/msg00168.html [cached](#) | [more results from this site](#)
7. **Star Office 5.2 vs OO 1 vs SO 6 -Macros**
... List <mdlug@xxxxxxxx>; Subject: Star Office 5.2 vs OO 1 vs ... Office 1.0.1 has only seven buttons, the record button just ... There is no chance to translate your old ...
www.mdlug.org/archives/mdlug/msg10203.html [cached](#)
8. **BBB aa cc kk tt oo tt hh ee FF uu tt uu rr ee (PDF)**
www.ahinc.com/support/download/Horizon02Augst.pdf [view as html](#)

<http://search.yahoo.com/search?p=OO+translate+record&ei=UTF-8&fr=fp-top>
Yahoo! Search Results for OO translate record

9/11/03
Page 3 of 3

www.cs.arizona.edu/~collberg/Teaching/520/2003/Handouts/Handout-21.pdf [view as html](#) | [more results from this site](#)

18. **TTeaacchhiinnngg SSpppecciaaillissstts s / / LLLecccttuurreerrss ...**
(PDF)
... on n H Ha an nd db bo oo ok k ... To obtain your keys and class record books, please see Dijana Andic ... it would not be appropriate to simply translate materials for ...
spanport.cta.umn.edu/webCat/data/specguidelines.pdf [view as html](#)
19. **Log Entry 211: Record-Breaker**
Record-Breaker. ... The wolf grows something that might translate as "One shekel." Or maybe "The bats are flapping in Hemptersdam." It can't just be a bad ... oo
(Great ...
sina1.critter.net/log.php?title=Record-Breaker [cached](#)
20. **Integrated Course Outline of Record (MICROSOFT WORD)**
Integrated Course Outline of Record. Mt. ... program flowcharts, pseudocode, and Object-oriented (OO) notation ... and select the appropriate PDM, and translate that PDM ...
www.msjc.edu/currcomm/docs/outlines/csis/CSIS123A-new%20APR%2000.doc [view as html](#) | [more results from this site](#)

Results Page:

1 2 3 4 5 6 7 8 9 10 [Next](#)

Your Search:

Advanced Web Search
Preferences

Copyright © 2003 Yahoo! Inc. All rights reserved. [Privacy Policy](#) - [Terms of Service](#) - [Ad Feedback](#) - [Search Feedback](#)

Search Technology provided by Google

9. **RavingsAboutOop**
... if the module and record names are identical ... I think I would want to take a complex OO design (even a good one, of which I have seen few) and translate it into ...
www.bluetail.com/wld/showPage?node=RavingsAboutOop [cached](#) | [more results from this site](#)
10. **Geometry.Net - Scientists: Faulhaber Johann**
... (lib.) oo 12.01.1796 GI ... 1989, 106, 203-210 Record 605 of 1656 - MLA Bibliography 1981-5/98 TI: Das groteske Leben und seine edle ... Clars Translate this page 1810. ...
www.geometry.net/scientists/fulhaber_johann_page_no_5.php [cached](#) | [more results from this site](#)
11. **Re: [OO interface design] Pass-by reference VS encapsulation ?**
... of indices O.7the original article J.7Translate into Japanese ... Subject: Re: [OO interface design] Pass-by reference VS ... As a Relational Database Record. ...
blade.nagaokaut.ac.jp/cgi-bin/scat.rbr/ruby/ruby-talk/70475?help-en [cached](#) | [more results from this site](#)
12. **NewsForge: The Online Newspaper of Record for Linux and Open...**
... Open Source, The Online Newspaper of Record for Linux ... Some things display slightly different in OO, but print ... the point where it didn't translate properly, it ...
newsforge.com/newsforge/03/07/09/1934259.shtml?tid=23 [cached](#) | [more results from this site](#)
13. **Design Patterns in OO Programming (CIS4930): Syllabus - Fall...**
... discuss the consequences of applying it; translate an application into ... somehow lacking (ie, does not demonstrate sound OO methodology, application ... Track record. ...
www.cise.ufl.edu/~dts/dp/syllabus.html [cached](#)
14. **xella: Oo: I never posted the entry I made this**
... So also for the record: If anyone has any Saiyuki fanart that you drew ... oo; Yeah. ... Sub yaol fangirls aren't that bad unless they translate things: Gokuu Wukong ...
www.livejournal.com/users/xella/938158.html [cached](#) | [more results from this site](#)
15. **Introduction to OO Analysis & Finding Classes (MICROSOFT WORD)**
... Collaborator (CRC) Method was designed to teach basic concepts in OO design and ... (6) Record your candidate ... These will translate to superclasses and subclasses. ...
www.cse.fau.edu/~maria/COURSES/COP4331-OO/PetrieOOClasses2002.doc [view as html](#)
16. **darinw.com**
darinw.com. oo(GuestBook)Oo. [Powered by Blogger]. Wednesday, July 09, 2003. ... I am still looking for a working laptop to use in order to record the mix onto mp3. ...
www.darinw.com/ [cached](#)
17. **CSc 520 (PDF)**
... & \$ % * An OO language compiler would translate the declarations in the previous slide into something similar to this: TYPE Shape=POINTER TO RECORD x, y ...

<http://search.yahoo.com/search?p=OO+translate+record&ei=UTF-8&fr=fp-top>

9/11/03

Best Available Copy